




KS 8000



| | |
|--------|----------------------------|
| REF. | KS 8000 |
| LG. | --- |
| KG | 100 KG |
| CE | EN 353-1 |
| MAT. | ALU & STEEL & SNOX |
| R (kN) | 15 kN |
| + | II2 G Exh IIC T6 Gb Zone 1 |

1
PAGE 28

2
PAGE 28



REF. FA 20 700 00
R> 15 kN
MAT. SNOX
Kg 0.60 KG

+ FALL INDICATOR

4
PAGE 29

+

- Système de protection sur système d'accès existant / Fall arrest system for existing acces system / Sistema de protección en sistema de acceso existente / Sistema di protezione su sistema di accesso preesistente / Schutzsystem an bestehendem Zugangssystem





- ATEX II2 G Exh IIC T6 Gb Zone 1

3
PAGE 28



KS 9000



| | |
|--|---|
| REF. | KS 9000 |
| LG. | --- |
|  KG | 100 KG |
|  | EN 353-1 |
| MAT. |  |
| R (kN) | 15 kN |
| + |  II 2 G Exh IIC T6 Gb Zone 1 |





REF. FA 20 700 00


R > 15 kN

MAT. 

 0.60 KG

 FALL INDICATOR

- 
- Système 2-en-1 (accès et protection antichutes)
 - 2-in-1 system (access & fall protection)
 - Sistema 2-en-1 (acceso y protección anticaída)
 - Sistema 2-in-1 (accesso e protezione anticaduta)
 - 2-in-1-System (Zugang und Absturzsicherung)
- ATEX  II 2 G Exh IIC T6 Gb
Zone 1



1
PAGE 28

2
PAGE 28

4
PAGE 28

4
PAGE 29

3
PAGE 28




1

EXTENSION HAUTE / TOP EXTENSION / EXTENSIÓN SUPERIOR
ESTENSIONE SUPERIORE / ERWEITERUNG OBEN




REF. FA 20 701 00
LG. 1.5 m
MAT. **ALU**
Kg 2.90 KG
Sys. KS 8000 / KS 9000




REF. FA 20 701 01
LG. 1.5 m
MAT. **STEEL**
Kg 10.45 KG
Sys. KS 8000 / KS 9000

2

RAIL / RAIL / RAÍL / ROTAIA / ZWISCHENSCHIENE



REF. FA 20 702 01
LG. 3.0 m
MAT. **ALU**
Kg 4.0 KG
Sys. Sys. KS 5000 / KS 8000



REF. FA 20 702 00
LG. 3.0 m
MAT. **ALU**
Kg 4.0 KG
Sys. KS 9000

3

EXTRÉMITÉ BASSE / BOTTOM PART /
EXTREMO INFERIOR / ESTREMITÀ INFERIORE / UNTERES ENDE



REF. FA 20 703 01
LG. 3.0 m
MAT. **ALU**
Kg 4.10 KG
Sys. KS 5000 / KS 8000



REF. FA 20 703 00
LG. 3.0 m
MAT. **ALU**
Kg 4.10 KG
Sys. KS 9000



4 ACCESSOIRES / ACCESSORIES / ACCESORIOS / ACCESSORI / ZUBEHÖR MARQUAGE / MARKING / MARCADO / MARCATURA / MARKIERUNG



REF. FA 20 704 00
 MAT. **ALU** **SNOX**
1.16 KG
 Sys. KS 5000 KS 8000 / KS 9000




REF. FA 20 707 00
 MAT. **STEEL**
0.86 KG
 Sys. KS 9000

| | | |
|--|------------|--------------------------|
| 689 CHEMIN DU BUICLAY LIEU-DIT LA MURIÈRE 38540-HYVREUX - FRANCE TEL : +33 (0)4 72 48 78 27 | | |
| INSTALLED BY | | |
| PRODUCT / SYSTEM | | |
| STANDARD / NORM | | |
| BATCH AND YEAR OF MANUFACTURE | | |
| LENGTH (in M) | CLEARANCE: | MAXIMUM NUMBER OF USERS: |
| INSTALLATION DATE / REFERENCE | | |
| ACCEPTANCE DATE | | |
| INSPECTION DATE | | |

REF. FA 20 902 00

5 FIXATIONS / CLAMPS / FIJACIONES / FISSAGGI / BEFESTIGUNGEN



| | |
|-------------------|--------------|
| REF. | FA 20 706 01 |
| | --- |
| | x1 |
| MAT. | STEEL |
| | M16 |
| R (kN) / MBS (kN) | --- |
| | 5.48 KG |
| Sys. | KS 9000 |

| | |
|-------------------|-------------------|
| REF. | FA 20 706 00 |
| | --- |
| | x1 |
| MAT. | SNOX |
| | M16 |
| R (kN) / MBS (kN) | --- |
| | 1.16 KG |
| Sys. | KS 5000 / KS 9000 |

| | |
|-------------------|--------------|
| REF. | FA 20 705 00 |
| | --- |
| | x1 |
| MAT. | SNOX |
| | --- |
| R (kN) / MBS (kN) | --- |
| | 0.20 KG |
| Sys. | KS 8000 |

| | |
|------|-------------------|
| REF. | FA 20 708 00 |
| MAT. | SNOX |
| | 0.08 KG |
| Sys. | KS 5000 / KS 9000 |

