

ROD

ANCHOR POINT FOR STEEL STRUCTURES



PRACTICAL

Thanks to its compact size, this anchor can be installed quickly and easily.

VERSATILE

It can be assembled on tubular and box-type steel structures of different sizes.



CODES AND DIMENSIONS

| CODE | material | dimensions [mm] | anchor point diameter [mm] | weight [kg] | pcs |
|------|-----------------|--------------------|----------------------------------|----------------|-----|
| ROD | stainless steel | 208 x 97 x 75-140 | 17 | 2,5 | 1 |

The values indicated are the result of experimental tests carried out under the supervision of third parties in accordance with the standard referred to. For a calculation report with minimum distances according to the relevant standard requirements, the substructure must be checked by a qualified engineer before installation.

CARRIER

SLIDING ANCHOR FOR STEEL STRUCTURES



FUNCTIONAL

Thanks to the integrated rollers, the device slides smoothly along the entire steel structure.

PRACTICAL

Quick and easy to install anchorage on steel beams with different widths, from 75 to 120 mm.



CODES AND DIMENSIONS

| CODE | material | dimensions [mm] | B [mm] | H [mm] | weight [kg] | pcs |
|---------|-------------------|--------------------|-----------|-----------|----------------|-----|
| CARRIER | zinc plated steel | 195 x 176 x 212 | 50-120 | 60 | 5,2 | 1 |

The values indicated are the result of experimental tests carried out under the supervision of third parties in accordance with the standard referred to. For a calculation report with minimum distances according to the relevant standard requirements, the substructure must be checked by a qualified engineer before installation.

